

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	840	(multiplexer\$1 or selector\$1) with (normal and scan)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/19 10:09
L2	179	L1 and (scan near clock\$1)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/19 10:09
L3	124	L2 and "714"/\$.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/19 10:09
L4	105	L3 and (@pd<"20030320" or @ad<"20030320" or @prad<"20030320" or @rlad<"20030320")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/19 10:09
L5	2	(nck sck) with (selector or multiplex\$3 or switch\$3)	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/11/19 10:09
L6	5	(clock near circuit) with ((normal near operation) and (scan near operation))	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/11/19 10:09
L7	4	L6 and (@pd<"20030320" or @ad<"20030320" or @prad<"20030320" or @rlad<"20030320")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/19 10:09
L9	25	(scan near clock\$1) with (select\$3 or multiplex\$3 or switch\$3) with ((normal near4 clock\$1) and (scan near4 clock\$1))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/19 10:09
L10	20	L9 and (@pd<"20030320" or @ad<"20030320" or @prad<"20030320" or @rlad<"20030320")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/19 10:09
L16	501	(power voltage adj supply) with ((wir\$3 with (wid\$2 great\$2)) and (resist\$4 with low\$2))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/19 10:09
L17	373	L16 and (@pd<"20030320" or @ad<"20030320" or @prad<"20030320" or @rlad<"20030320")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/19 10:09
L18	372	L17 and ((reduc\$3 minimiz\$3 low\$5 decreas\$3) with power)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/19 10:09
L19	93	L18 and ((power voltage) with driver)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/19 10:09

EAST Search History

L21	35	(voltage near6 driver) with (low\$3 near5 voltage with (clock near3 circuit))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/19 10:09
L22	31	L21 and (@pd<"20030320" or @ad<"20030320" or @prad<"20030320" or @rlad<"20030320")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/19 10:09
L24	52791	"714"/\$.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/19 10:09
L27	7380	((system normal operation\$3) near15 clock) and (scan near15 clock)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/19 10:09
L28	629	L27 and ((plurality multiple many several) near4 (flip\$1 near1 flop))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/19 10:09
L29	487	L28 and (@pd<"20030320" or @ad<"20030320" or @prad<"20030320" or @rlad<"20030320")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/19 10:09
L30	227	L29 and "714"/\$.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/19 10:09
L31	827	((((system normal operation\$3) near15 clock) and (scan near15 clock)).clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/19 10:09
L32	54	L31 and ((plurality multiple many several) near4 (flip\$1 near1 flop)).clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/19 10:09
L33	120	L31 and ((plurality multiple many several) near4 (flip\$1 near1 flop))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/19 10:09
L34	40	L32 and (@pd<"20030320" or @ad<"20030320" or @prad<"20030320" or @rlad<"20030320")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/19 10:09
S1	762	(multiplexer\$1 or selector\$1) with (normal and scan)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/12/05 14:32
S2	159	S1 and (scan near clock\$1)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/06 17:07
S3	109	S2 and "714"/\$.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/12/05 14:32

EAST Search History

S4	96	S3 and (@pd<"20030320" or @ad<"20030320" or @prad<"20030320" or @rlad<"20030320")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/06 17:29
S11	22	(scan near clock\$1) with (select\$3 or multiplex\$3 or switch\$3) with ((normal near4 clock\$1) and (scan near4 clock\$1))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/12/05 15:46
S12	19	S11 and (@pd<"20030320" or @ad<"20030320" or @prad<"20030320" or @rlad<"20030320")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/12/05 16:19
S18	424	(power voltage adj supply) with ((wir\$3 with (wid\$2 great\$2)) and (resist\$4 with low\$2))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/12/06 10:00
S19	353	S18 and (@pd<"20030320" or @ad<"20030320" or @prad<"20030320" or @rlad<"20030320")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/12/06 12:35
S20	352	S19 and ((reduc\$3 minimiz\$3 low\$5 decreas\$3) with power)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/12/06 10:05
S21	89	S20 and ((power voltage) with driver)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/12/06 12:29
S23	35	(voltage near6 driver) with (low\$3 near5 voltage with (clock near3 circuit))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/12/06 12:35
S24	31	S23 and (@pd<"20030320" or @ad<"20030320" or @prad<"20030320" or @rlad<"20030320")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/12/06 13:35
S29	7093	((system normal operation\$3) near15 clock) and (scan near15 clock)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/06 17:29
S30	596	S29 and ((plurality multiple many several) near4 (flip\$1 near1 flop))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/06 17:30
S31	482	S30 and (@pd<"20030320" or @ad<"20030320" or @prad<"20030320" or @rlad<"20030320")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/06 17:30
S32	218	S31 and "714"/\$.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/06 17:29
S33	776	((((system normal operation\$3) near15 clock) and (scan near15 clock)).clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/06 17:29

EAST Search History

S34	108	S33 and ((plurality multiple many several) near4 (flip\$1 near1 flop))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/06 17:30
S35	46	S33 and ((plurality multiple many several) near4 (flip\$1 near1 flop)). clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/06 17:30
S36	38	S35 and (@pd<"20030320" or @ad<"20030320" or @prad<"20030320" or @rlad<"20030320")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/06 17:30